

1 AMENDMENT NO. 9

2 On page 2, at the beginning of line 5, insert "paint, dust, and soil"

3 AMENDMENT NO. 10

4 On page 2, between lines 25 and 26, insert:

5 "C.(1) If the results of the risk assessment indicate that lead hazards
6 were found, the department shall notify the Louisiana Department of Health
7 and the state Department of Education. The facility shall not commence
8 operations until appropriate lead hazard control methods have been
9 implemented and confirmed by the department.

10 (2) Once a report documenting the absence of lead hazards, either
11 initially or after any known lead hazards have been addressed, is provided to
12 the department, the Louisiana Department of Health, and the state Department
13 of Education, no further lead hazard testing shall be required for opening by
14 such owner, operator, or governing authority. Further lead testing may be
15 required if the owner, operator, or governing authority thereafter initiates
16 major alterations of the facility through renovation or remodeling. Further
17 lead testing may also be required if lead hazards are thereafter found on the
18 premises.

19 D. The department shall provide a prospective owner, operator, or
20 governing authority of an early learning center, a daycare center that is subject
21 to federal daycare center licensing requirements, a public prekindergarten
22 program that is part of a public elementary school, or an approved nonpublic
23 prekindergarten program that is part of an approved nonpublic elementary
24 school with a list of persons approved or licensed to conduct the lead testing
25 required by this Subsection."

26 AMENDMENT NO. 11

27 On page 2, at the beginning of line 26, change "C." to "E."

28 AMENDMENT NO. 12

29 On page 2, at the beginning of line 29, change "D." to "F."